Contents

of the

Höfchen-Briefe

1957

Papers

1957

Aerts, René and Soenen, Albert: Apple Powdery Mildew *Podosphaera leucotricha* (Ell. and Ev.) Salm. P. 109—172.

Dutt, N., and Ganguli, R. N.: The Possibilities of Control of Jute Semilooper *(Anomis sabulifera* Guen.) by "Folidol E 605", P. 95—97.

Kersting, F.: On the Effect given by Different Preparations and their Rates of Applications in Controlling Late Blight of Potatoes *(Phytophthora infestans* de By.). P. 98—105.

Langelüddeke, Peter: Aphids as Vectors of Virus Diseases of Potatoes. — A Literature Review. P. 237—266.

Müller, Gerhard, Fr. W.: Morphology, Biology and Control of the Hawthorn Spider Mite *Tetranychus viennensis* Zacher *(Acari, Tetranychidae).* P. 1—60.

Rönnebeck, Wolfgang: On the Epidemiology and Control of Leaf Roll on Potatoes. P. 266—279.

Scholz-Günther, E.: Gall Midges Occurring as Pests on Purple Willows. P. 289—292.

Tietz, H. Metcalf, R. L. and Fukuto, T R.: Action of the insecticide "Gusathion" on cotton plants, and the problem of residues in cottonseed. P. 279—289.

Unterstenhöfer, Günther: The Basic Principles of Plant Protection Field Tests. P. 173—236.

Vité, J. P.: Trial Controls of Larch Insects by Injecting Trees with Systemic Insecticides. P. 61—94.

Book Review:
W. Kolbe
Franssen, C. J. H.: The Biology and Control of the Broadbean Weevil *(Bruchus rufimanus* Boh.). (De levenswijze en de bestrijding van de tuinboonkever.) P. 106—107.

In Memoriam Prof. Dr. Albert Boerger. P. 107—108.

Index of names

1957

A

Abbott, 224, 226, 229, 252
Adamson, 169
Aerts, 109, 169
Allen, 169
Arenz, 252, 257, 261
Aue, 250, 254, 261
Austin 216, 223
Averell, 281, 289
Andersen 23, 27, 39, 43, 50, 58

B

Babers, 196
Bachmann, 213
Baker, 2, 3, 5, 7, 8, 10, 12, 13, 16, 59
Baliard, 111, 169
Banks, 200, 213
Bauckmann, 207, 214
Bawden, 239, 253, 254, 261
Bedard, 62, 92
Bender, 200, 213
Berlese, 61, 92
Berwith, 109, 169
Bessard, 47, 49, 58
Bhattacharyja, 85, 92
Bioletti, 169
Birmingham, 169
Björling, 241, 261
Black, 238
Blumer, 169
Bode, 255, 256, 261, 263 265
Bömeke, 204, 213
Boerger, 107
Börner, 245, 261
Bolle, 230, 232
Bond, 62, 92
Boucherie, 61
Brereton, 170
Broadbent, 198, 213, 243, 248, 250, 253, 254, 256, 257, 258, 259, 261, 267, 278
Broadfoot, 170

C

Chaboussou, 47, 49, 58
Chanois, du, 195
Chapman, 217, 223
Chaudhuri, 250, 261
Church, 199, 213
Complin, 62, 93
Cochran, 234
Corner, 170
Cornford, 261
Cox, 234
Craighead, 92
Creuzburg, 189, 195
Croxall, 219, 223
Csorba, 170
Cunningham, 170
Czerwinski, 252, 253, 259, 260, 262, 265, 278

D

Dame, 98, 103, 105, 222, 223
Davies, 242, 250, 252, 257, 258, 260
Davis, 204, 213, 247, 249, 262
Dölger, 85, 93
Dörrie, 93
Doncaster, 243, 245, 247, 257, 258, 260, 262, 275, 276
Dosse, 2, 48, 49, 58
Du Chanois, 195
Dutt, 95, 97

E

Ehrenhardt, 214
Ellis, 110
Everhardt, 110
Eyer, 214
Eyre, 170

F

Fahey, 191, 196
Foirchold, 170
Fischer, 184
Fisher, 111, 170
Fischer, D. F., 170
Foex, 170
Foschi, 170
Franssen, 106
Franz, 223
Frey, 195
Friedrich, G., 189, 195
Frost, 207, 214
Fukuto, 279, 289

G

Galloway, 170
Ganguli, 95, 97
Gasser, 23, 59
Gaudineau, 170
Gauß, 232
Geijske, 2, 3, 5, 48, 59
George, 92
Gersdorf, 240, 251, 262
Gersmann, 289
Gesler, 201, 213
Geyer, 275, 278
Gläser, 62, 93
Göpp, 275, 279
Gollmich, 170
Goossen, 223
Gosset, 233

Gregory, 243, 245, 247, 253, 254, 256, 257, 258, 260, 261, 262, 267, 275, 276, 278
Grubb, 170
Gwynne, 219, 223

H

Haine, 242, 246, 262
Hamilton, 192, 196
Hansen, 242, 243, 251, 252, 257, 260, 262
Hauschild, 254, 255, 256, 263, 265
Healy, 225, 230
Heathcote, 243, 261
Heinze, 237, 240, 241, 242, 243, 244, 245, 247, 248, 249, 250, 252, 253, 258, 263, 266, 278
Hemer, 214
Henderson, 225, 227, 229, 230
Heuberger, 229
Hey, 258, 263
Hille Ris Lambers, 240, 243, 263, 277, 279
Hirst, 2, 3, 12, 21, 22, 47, 48, 59, 204, 214
Hofferbert, 255, 263
Holstermann, 111
Holz, 211
Huber, 66, 73, 93
Hull, 261

I

Isenbeck, 195

J

Jahn, 214
Jancke, 61, 63, 93
Janisch, 59
Jenkins, 219, 223
Jesser, 62, 93
Jeppson, 62, 93
Johannes, 98, 106
Johnson, 204, 205, 206, 213, 214
Jong, de, 249, 260
Jorstad, 170
Junge, 170

K

Kaiser, 203, 213
Kapica, 250, 261
Kassanis, 252, 254, 257, 261, 263
Keller, 243, 264
Kersting, 98
Kessler, 170
Ketelaar, 289
Klapp, 257, 263
Klemm, 214
Klinkowski, 263
Koch, 244, 254, 255, 263
Kock, 171
Köhler, 255, 257, 263
Körner, 263
Kolbe, 107
Krczal, 238, 265
Krüger, 256
Kunz, 93
Kunze, 199, 213, 259, 263

L

Landis, 204, 213
Langelüddeke, 237
Large, 221, 223
Leeuwen, 214
Lein, 231, 234
Lekander, 62, 93
Liebster, 107
Lienk, 217, 223
Linder, 177
Linskens, 85, 92
Loewel, 200, 213
Losch, 175
Lustner, 175

M

Mac Dougall, 281, 282, 289
Mahlke-Troschel-Liese, 62, 86, 93
Maramorosch, 238, 263
March, 280, 289
Martignoni, 63, 64, 65, 88, 93
Martini, 243, 264
Massee, 47, 59, 216, 223
Maurisio, 171
Maxon, 289
Mayer-Wegelin, 84, 93
Meagher, 289
Meier, W., 243, 264
Mendel, 289
Metcalf, 279, 280, 289
Micheel, 289
Möricke, 207, 214, 242, 243, 244, 245, 246, 247, 249, 250, 252, 254, 258, 259, 260, 264
Mokrzecki, 68
Moore, 171
Mühlmann, 283, 289
Müller, A., 61, 63, 68, 93
Müller, G., 1
Müller, H., 181, 195, 224, 223, 246, 254, 260, 264
Munzel, 73, 77
Murphy, 260
Myers, 280, 289

N

Neger, 171
Newell, 217, 223
Newcomer, 39, 59
Nicolaisen, 275, 278
Nicolski, 3, 49, 59
Norris, 281, 289
Nowak, 264

O

Ohnesorge, 195
O'Neill, 214
Oortwijn Botjes, 253, 259 266, 278
Opitz, 266, 278
Orth, 255, 263
Osterwalder, 171
Oudemans, 2, 4, 59

P

Pätau, 233, 234
Plankl, 62, 73, 86, 93
Poeteren, van, 111
Posnette, 239, 264
Post, 214
Postner, 62, 93
Potter, 213
Pratt, 196
Pritchard, 2, 3, 5, 7, 8, 10, 12, 13, 16, 59
Profft, 240, 241, 242, 243, 244, 245, 246, 247, 248, 249, 250, 252, 253, 257, 260, 263, 264, 278

R

Rademacher, 195
Rambier, 24, 47, 49, 59
Reed, 199, 213
Reestman, 277, 279
Reich, 200, 213
Reiff, 42, 59
Richardson, 195, 217, 223
Richel, 214
Richter, 213
Roach, 61, 68, 72, 75, 93
Robertson, 239, 264
Roemer, 175, 177
Rönnebeck, 210, 214, 242 243, 244, 245, 257, 260 264, 265, 267, 268, 273
Roesler, 2, 48, 59
Roth, 68, 93
Rümker, 237
Rumbold, 68
Rusk, 191, 196

S

Salmen, 171
Sedlag, 223
Sellke, 196
Shands, 199, 213
Shephard, 226, 229, 230
Simpson, 199, 213
Smith, 213
Soenen, 109, 169, 214, 220, 223, 230
Sorauer, 110
Speyer, 214
Sprague, 171
Sun, 226, 229, 230

Sch

Schaffnit, 162, 171
Schepers, 277, 279
Schewirjeff, 63, 68
Schmittutz, 62
Schneider, 208, 214
Schneider-Orelli, 225, 229
Schneider-Zimmermann, 72, 93
Scholz-Günther, 289
Schrader, 280
Schreier, 258, 265
Schubert, 73, 93
Schwerdtfeger, 94

St

Stanley, 192, 196
Steudel, 242, 244, 245, 250, 254, 265
Stewart, 171
Stickland, 199, 200, 213
Stoll, 147
Stolze, 197
Storey, 238, 265
Straub, 201, 213

T

Tamm, 275, 279
Taylor, 204, 213
Thalenhorst, 91, 94, 195
Thiede, 98, 103, 105
Thomas, 171
Tietz, 279, 283, 289
Tilton, 225, 226, 227, 229, 230
Tinsley, 253, 254, 256, 259, 261
Tischler, 203, 213
Townsend, 229
Tschermak, 68, 94
Tubeuf, 111
Turuer, 171

U

Ugarov, 3, 49, 59
Unruh, 197
Unterstenhöfer, 49, 60, 62, 65, 66, 94, 223, 230
Urlings, 208, 214

V

Vincent, 172
Viennot-Bourgin, 172
Vinci, Leonardo da, 61, 94
Vité, 61, 63, 64, 73, 77, 94
Vliet, van der, 106
Völk, 238, 240, 254, 255, 256, 265
Vogel, 195, 201, 208, 213, 214
Volck, 111, 169

W

Wachtendorf, 64, 94
Waede, 214
Waldhauer, 241, 248, 266
Walter, 94
Walton, 68
Watson, 266
Way, 213
Weed, 249
Wellenstein, 62, 93
Wenzl, 229, 230, 231, 232, 233, 234
Whitehead, 252, 258, 262
Wiesmann, 206, 214
Wilcoxon, 233, 234
Wildholtz, 201, 213
Wilson, 61, 94
Wislicenus, 62, 94
Woodward, 109, 111, 113, 118, 129
Wormald, 172
Wortley, 260

Y

Yothers, 39, 59

Z

Zacher, 2, 5, 13, 21, 23, 47, 48, 60
Zemp, 63, 64, 65, 88, 93
Ziegler, 250, 251, 266
Zobrist, 172

Digitized by the Internet Archive
in 2025

https://archive.org/details/bayer-cropscience-journal_1957_10_index-contents

Index

A

Abnormal growth, 194
Acaricide, 54
Acid fuchsin, 72, 75
Ackersegen, 98, 254, 255, 272, 273
Adhesion, 192
Adjacent effect, 181
Alabama argillacea, 279
Ambulacrum, 11
Ammonium polysulphides, 147
Amphitetranychus viennensis, 2
Anomis sabulifera, 95
Anthonomus grandis, 279
Anthonomus pomorum, 203, 215
Aphids, 201, 202, 212, 218, 237
Aphis fabae, 199, 200
Aphis gossypii, 279
Aphid forms, 258
Aphid population, 247
Apotetranychus longipenis, 2
Apple, 46
Apple blossom weevil, 203, 215
Apple powdery mildew, 109
Apple scab *(Venturia inaequalis)*, 200, 206, 207, 208, 212, 217
Apple sucker, 218
Appletree, 63
Aquila, 154, 155
Arsenic solution, 61
Assimilation organs, 62
Assimilation stream, 67
Aster yellow, 238
Aucuba virus, 240
Aulacorthum pseudosolani, 148
Axillary bud infection, 118

B

Bait trap, 217, 206
Bait trap method, 212
Banding method, 62, 63, 88, 89, 91, 92
Barium polysulphide, 54, 147, 149
BCH, 95
Bean aphid *(Doralis fabae)*, 106, 199 221, 247
Bees, 194
Beech scale *(Cryptococcus fagi)*, 62
Biological pest control, 223
Biological transmission, 238
Biota, 203
Block, 177
Böhms Mittelfrühe, 254
Bohnapfel, 47
Bona, 254, 270
Bordeaux mixture, 147, 149
Boscoop, 141, 162
Boucherie method, 61
Brevicoryne brassicae, 199
Brevipalpus oudemansi, 2
Broadbean weevil, 106
Bruchus rufimanus, 105
Bryobia praetiosa, 2, 49
Brussels sprouts, 199
Buckthorn aphid *(Doralina transiens)*, 248
Bud moth, 201
Bugs, 202

C

Cabbage maggot, 197, 207, 222
Cabbage moth *(Chortophila brassicae)*, 197
Cabbage seedpod weevil *(Ceutorrhynchus assimilis)*, 202
Capella, 254
Captan, 166, 167
Carbamate mixture, 150
Carbolineum oil, 52, 56, 58
Cartridge injection, 67
Casebearer, 81, 86
Casebearer larvae, 66, 67
Cercospora, 229
Ceutorrhynchus assimilis, 202
Check of infestation, 201
Chermes abietis, 64
Chermesidae, 64, 81
Cherry fruit fly *(Rhagoletis cerasi)*, 197, 206, 208, 212
Cherry fruit moth, 201
Chortophila brassicae, 197, 207, 222
Cicadids, 202
Cicadula sexnotata, 228
Citrus, 63
Clysia ambiguella, 207
Cnaphalodes strobilobius, 64

"Cobra" injection method, 85
Codling moth *(Cydia pomonella)*, 200, 206, 207, 208, 212, 217
Coleophora, 86
Coleophora control, 76
Coleophora laricella, 63, 64, 66, 70, 76, 81, 91
Colloidal sulphur, 147
Colour traps, 207
Conditions of infections, 143
Conducting strands, 75
Contarinia tritici (Wheat midges), 201, 209
Control of vectors, 268
Copper oxychloride, 98
Corchorus capsularis, 95
Corchorus olitorius, 95
Cotton plants, 179
Covering of tactiles on the dorsal side, 5
Coxae, 16
Cox's orange, 141, 162
Curative sprays, 149, 151, 152, 153
Curly top of beta beet, 238
Cydia pomonella (Codling moth), 200, 206, 207, 208, 212, 217

D

Damsons, 47
Dasyscypha willkommii, 65
DDT, 95, 96, 97, 106
Decemlineata leptinotarsa (Potato beetle), 197
Degree of infection, 257
Demonstration experiments, 175
Determination of density, 206
Dieldrin, 103
Dimethyl phthalate, 280
Dinitrocresol, 52, 55, 56, 58
Dipterex, 290, 291
DNC, 52, 55, 56, 58
Doralina transiens (Buckthorn aphid), 248
Doralis frangulae, 198
Doralis fabae (Bean aphid), 106, 199, 221, 247
Dreyfusia nüsslini (fir needle aphid), 64
Drift, 178

E

Economic aspect, 88, 102
Effectiveness, 223, 225, 226
Egg production, 37
Emcol M 500, 280
Empodium, 11
Engraver beetles, 62
Eosin solution, 72
Eotetranychus pomi, 2, 57
Erdgold, 267, 268
Ermine moth, 201
Erysiphe polyphaga, 143
Estimation of the population density, 200
E 605 conc., 54, 55, 58, 208, 237, 267, 290, 291
Evaluation of test, 215, 230
Evaluation rating, 219
Evonymus, 199

F

Failures, 176
Fertilisation, 162
Fir, 64
Fir needle aphid *(Dreyfusia nüsslini)*, 64
Fish, 194
Flava, 254
Flea beetles, 203
Folidol-E 605, 95, 96, 97, 291
Formaldehyde solution, 208
Formation of callus, 84
Frit fly, 210
Frühbote, 254
Frühmölle, 254
Fumigants, 192
Fusicladium dendriticum, 220

G

Game, 195
Geiger-Müller-counter, 281
Goldparmäne, 47
Grape berry moth *(Clysia ambiguella)*, 207
Grapholitha funebrana (red plum maggot), 200, 217

Green peach aphid
(Myzodes persicae), 198, 199, 200, 210, 239, 240, 248, 249, 250, 258, 266, 278
Growth vigour, 191
Gusathion, 279

H

HCH, 52
Heart cherry *(Prunus avium)*, 47
Heavy oil, 52
Heida, 98
Hexa, 52
Host plant, 46, 58, 246

I

Incubation calendar, 211
Incubation period, 238
Infection of the buds, 112
Injection, 61, 62
Injection needle, 85
Inner therapy of plants, 61
Insecticide, 54, 61, 77, 95
Ips amitinus, 64
Ips typographus, 64

J

Jonathan, 121, 141, 151, 153, 155
Jute, 95
Jute Semi-looper
(Anomis sabulifera), 95

K

Knife injection, 85, 86, 87, 88, 91, 92

L

Laboratory test, 175
Larch, 64
Larch canker *(Dasyscypha willkommii)*, 65
Larch casebearers, 63, 65
Larch insects, 61
Larix decidua, 64
Larix leptolepis, 64
Larvae mortality, 40
Laspeyresia decemlineata, 65
Laspeyresia zebeana, 64
Late blight *(Phytophthora infestans)*, 98, 211, 221
Latin rectangle, 185
Latin quadrate, 185
Laxton, 162
Leaf roll, 266
Leaf roll virus, 275
Leaf roll on potatoes, 266
Leaf-sucker, 201, 219
Lepidoptera, 95
Lichens, 53
Light traps, 95, 207, 212
Lime (Tilia), 47
Lime sulphur, 147, 148, 149

M

Macrosiphon solanifolii, 198, 248, 243
Manuring, 255
Marginal effect, 180
Mean value, 232
Mean error, 232
Mediolata mali, 57
Melolontha spec. (May beetles), 202, 212
Mercury preparation, 154
Meristematic tissue, 130
Merkur, 154
Metasystox, 64, 65, 70, 71, 72, 81, 82, 84, 85
Metatetranychus ulmi, 2, 39, 49
Method of prediction, 210
Methylene blue solution, 72
Microclimate, 181
Mineral oil, 52, 56
Mortality of eggs, 41
Mycelium, 110, 133, 168, 169
Myzodes persicae (Green peach aphid), 198, 199, 200, 210, 239, 240, 248, 249, 250, 258, 266, 278
Myzus ornatus, 248

N

Necrosis, 194
Neomyzus circumflexus, 248
Nicotine, 61

Nitrophenol, 52
Noctuidae, 95

O

Oberarnbacher Frühe, 254, 272, 273
Olympia, 254
Organic sulphur, 149
Oscinis frit, (Frit fly), 210
Ostbote, 254
Overwintering, 25, 49, 57, 240
Oviposition, 36, 37

P

Paper chromatogram, 283
Parathion, 107
Peach aphid (green) *(Myzodes persicae)*, 198, 199, 200, 210, 239, 240, 248, 249, 250, 258, 266, 278
Peaches, 47
Pear, 46
Pedipalpi, 12, 21
Perithecia, 110, 168
Peritrema, 13, 21, 56, 57
Peronospora, 211, 219
Phosphoric ester, 54, 56, 58, 267
Phytophthora infestans, 98, 181, 221
Piesma quadratum, 238
Pityogenes chalcographus, 64
Plant injuries, 194
Plasmopara viticola, 211, 219
Plum, 47
Plum maggot (red), *(Grapholitha funebrana)*, 200, 217
Podosphaera leucotricha, 109
Pollen beetle, 212, 227
Polyvinylchloride strip, 64
Polychrosis botrana, 207
Polyethylene strip, 64
Population growth, 43
Post blossom application, 148
Post-ovipositional period, 38
Potassium cyanide, 61
Potassium permanganate, 154
Potato, 98
Potato beetle *(Leptinotarsa decemlineata)*, 197
Potato yellow dwarf, 240
Pre-blossom application, 148
Pre-ovipositional period, 38
Primary infection, 114
Problem of residues, 279
Propagation, 49
Propagation area, 48
Prunus cerasis (Wild cherry), 47
Psylla mali (Leaf sucker), 201, 219
Purple willows, 289

R

Radioactivity, 283
"Rank methods", 233
Reinette de France, 141
Replications, 183
Resistance to rain, 192
Rhabdophaga rosaria, 289, 291
Rhagoletis cerasi, 197, 206, 208, 212, 216
Rhamnus alnifolia, 248
Rhamnus carthatica, 248
Rhamnus infectoria, 248
Rhamnus saxatalis, 248
Rhopalomyzus ascalonicus, 248
Roots, 62
Rosaceae, 58
Rowan tree *(sorbus)*, 47

S

Salix purpurea, 289
Salt water test, 218
Sap displacement method, 61
Sap stream, 61
Scorching, 194
Secondary effect, 66, 80, 82, 85, 92, 190, 192, 203
Secondary infection, 111, 118, 121, 132, 133, 144, 168, 220
Seed analysis, 284
Sequence of generations, 27
Shape of plots, 179
Sieglinde, 254
Single trunk treatments, 62
Sitodiplosis mosellana (Wheat midges), 201, 209
Size of plots, 177
Skin structure, 4
Sleeve method, 63
Sloe *(Prunus spinosa)*, 47
Soil elutriating practice, 209
Soil pests, 202

Soil sampling, 209
Solbar, 54, 55, 58
Solution of soft soap, 154
Source of light, 107
Spider mites *(Tetranychidae)*, 216
Spider mite population, 35, 43, 44
Spore pump, 204
Spore traps, 204, 205
Spray (curative), 149, 151, 152, 153, 169
Spraying schedules, 210
Spring alate aphids, 259
Spruce, 64
Staining tests, 74
Starch content, 100, 103, 104, 105
Starch formation, 104
Starch yield, 100, 103, 105
Suction traps, 203
Summer alate aphids, 259
Summer control, 54
Summer hosts, 245
Sulphur powder, 150
Susceptibility, 190
Suspension property, 192
Swede midge *(Contarina nasturtii)*, 209
Systox, 54, 55, 58, 64, 66, 267, 277

T

Tactile covering, 5, 57
Taeniothrips laricivorus, 63, 64, 65, 66, 81, 91
Tarsus, 8, 56
Terminal buds, 114, 119, 120, 121
Test planning, 177
Tetranychidae, 200, 216
Tetranychus althaeae, 49
Tetranychus bimaculatus, 279
Tetranychus crataegi, 2
Tetranychus viennensis, 2, 54
Thermostat, 43, 48
Thüringer Winterrambour, 47
Thrips spp., 279
Tibia, 9, 56
Time of application, 81
Toni, 254
Tobacco mosaic virus, 238
Toxic dosage, 191
Toxic effect, 190, 191
Transmission of virus diseases, 237
Transparent, 47
Transpiration output, 92
Transpiration physiology, 73
Transpiration stream, 62, 67, 68, 73, 77
Traps, 203
Trap net, 202
Trap jars, 206, 212
Tree jarring trap method, 202
Triaspis gibberosus, 106
Tuber yield, 100, 101, 102, 104, 105

U

Urbarcid-4255, 149

V

Variant, 177
Variety test, 180
Venturia inaequalis, 204, 211, 212, 219
Vera, 154
Voran, 254
Viburnum, 199
Vicia faba, 85, 199, 221
Virus diseases of potatoes, 237
Viruses, 237

W

Warning service, 169
Weather conditions (Phenology), 210
Wettable sulphur, 147, 148
Wetting, 148
White grubs *(Melolontha spec.)*, 202
Wild cherry *(Prunus cerasis)*, 47
Wind conditions, 250
Winter moth, 201
Winter pruning, 164
Winter spray application, 51, 55
Winter sprays, 51, 58, 218
Winter quarters, 24, 57
Wood preservation, 62

X

X-Virus, 238
Xylem, 68, 70, 77, 80, 83
Xylem layer, 77
Xylene, 280

Y

Yellow disease, 199, 222
Yellow oil, 58
Yellow plums (Mirabelle), 47
Yellows, 199
Yellow spray, 52
Y-Virus, 175

Z

Zinc ethylene, 98
Ziram, 149
Z-Method, 233